



AFFIDAVIT SELF-CERTIFICATION FOR COMPLIANCE OF SMOKE ALARMS AND CARBON MONOXIDE ALARMS

THE CERTIFICATION MUST BE COMPLETED AND RETURNED TO THE CITY OF MARINA
BUILDING DIVISION PRIOR TO FINAL SIGN-OFF OF ALL PERMITS REQUIRING
COMPLIANCE.

When valuation of additions, alterations, or repairs to dwelling units exceeds \$1,000.00, smoke alarms and carbon monoxide alarms must be installed as required by the 2022 California Residential Code (CRC).

Smoke alarms shall be installed in each sleeping room, and outside each separate sleeping area in the immediate vicinity of the bedrooms, and on each additional story of the dwelling, including basements and habitable attics as required by Section R314 of the 2022 CRC.

For dwellings or sleeping units containing fuel burning appliances or having attached garages, carbon monoxide alarms shall be installed outside each separate sleeping area in the immediate vicinity of the bedrooms, and on each additional story of the dwelling, including basements as required by Section R314 and R315 of the 2022 CRC.

All alarms shall comply with requirements for listing and approval by the Office of the State Fire Marshal.

Property Address: _____, Marina, California

Building Permit Number: B _____ - _____

Total # of Bedrooms: _____

Total # of Stories: _____ (Including Habitable Basements and Attic Spaces)

TOTAL Number of Smoke Alarms in Dwelling Unit: _____

TOTAL Number of Carbon Monoxide Alarms in Dwelling Units: _____

By signing below, I hereby verify that smoke alarms and carbon monoxide alarms have been installed in compliance with current California codes and as described above, and all alarms have been tested and are functional for the above permit. I am the: (check one) ☐ California Licensed Contractor ☐ Legal Owner

Signature: _____

Date: _____

RESIDENTIAL SMOKE AND CARBON MONOXIDE ALARM REQUIREMENTS

Effective January 1, 2023, all residential permits exceeding \$1,000.00 in valuation shall be required to install smoke and carbon monoxide alarms throughout the residence. Smoke and carbon monoxide alarms shall be installed in accordance with the 2022 California Residential Code (CRC) and shall be verified at permit final.

Smoke detectors shall be tested and maintained in accordance with the manufacturer’s instructions.

Smoke alarms shall be installed in the following locations:

- 1. In each sleeping room.
- 2. Outside each separate sleeping area in the immediate vicinity of the bedrooms.
- 3. On each additional story of the dwelling, including basements and habitable attics, but not including crawl spaces and uninhabitable attics.

Carbon monoxide alarms shall be installed in the following locations:

- 1. Outside each separate dwelling unit sleeping area in the immediate vicinity of the bedrooms.
- 2. On every level of a dwelling unit, including basements.

